



Karla M. Deida Villafañe
 Advisor: Dr. Héctor J. Cruzado
 Polytechnic University of Puerto Rico

Abstract

This study, conducted in collaboration with Pratt & Whitney, addresses the challenges faced in optimizing repair processes for airplane engine parts within the aerospace aftermarket industry. With a focus on reducing turnaround time, optimizing resource use, enhancing quality control, and standardizing repair procedures, the study aims to improve operational efficiency and elevate service standards. Through a comprehensive literature review leveraging Lean Six Sigma principles and exploring quality control strategies, key methodologies and best practices were identified. Repair development data from Pratt & Whitney's Puerto Rico location was collected, followed by quantitative analysis techniques. Findings revealed varying average development times across tasks, with identified challenges including ground rule updates, scheduling conflicts, and workload-related delays. The qualitative analysis highlighted the importance of effective communication and workload management. The study concluded by emphasizing the significance of leveraging insights to refine repair development strategies, enhancing resource allocation, and improving project management, ultimately striving for operational excellence and customer satisfaction in the aerospace aftermarket industry.

Introduction

This study was undertaken in collaboration with Pratt & Whitney, a global leader in aerospace manufacturing and MRO services, renowned for its pioneering engine technologies and comprehensive aftermarket support. The aerospace aftermarket industry is crucial for maintaining the operational integrity and safety of aircraft worldwide, with repair processes for airplane engine parts being vital for ensuring the sustained performance and reliability of engines. Optimizing these processes is essential to enhance resource efficiency, streamline operations, and elevate service standards. This study explores the challenges in the industry to map a path towards operational excellence and customer satisfaction.

Problem Statement

Extended repair lead times, uneven quality control procedures, and inadequate resource utilization pose significant challenges in the repair processes for airplane engine parts within the aerospace aftermarket industry. These issues hinder operational efficiency, increase costs, and compromise service quality. Consequently, addressing these challenges is imperative to ensure timely delivery of repaired components, enhance quality control measures, optimize resource allocation, and standardize repair procedures.

Literature Review

The aerospace aftermarket industry strives to optimize repair processes while maintaining high quality standards. Lean Six Sigma principles offer effective methods for this, focusing on waste reduction and continual improvement. Smith et al. (2019) showcased their success in aerospace maintenance operations, cutting repair times and enhancing resource use [1]. However, industry-specific challenges persist, as highlighted by Johnson and Carter (2018), emphasizing the need to tailor methodologies to aerospace needs [2]. Quality control remains paramount, with Brown and Williams (2020) demonstrating the effectiveness of rigorous inspection protocols in detecting defects and reducing rework rates [3]. Advanced testing technologies like NDT further enhance quality control, ensuring repaired components meet safety standards. In summary, optimization and quality control are vital for aftermarket maintenance success, driving operational excellence and customer satisfaction.

Methodology

Given the logistical constraints of conducting onsite observations and interviews at Pratt & Whitney's repair facilities on the US mainland, the study focused on utilizing repair development data accessible from the Puerto Rico location. The data collection process involved the following methods:

- **Accessing Repair Development Data:** Access was sought to repair development databases, archives, and documentation available at the Puerto Rico location. These datasets contained valuable information on repair development projects, including timelines, resource allocation, project milestones, and challenges encountered during the development process.
- **Document Analysis:** Repair development documents, including project reports, technical specifications, and progress updates, were analyzed to extract relevant data on repair development timelines, bottlenecks, and areas for improvement. Document analysis provided insights into the factors influencing the time required to develop repairs and identified opportunities for optimization.

Upon obtaining repair development data, quantitative analysis techniques were employed to evaluate repair development timelines, identify inefficiencies, and prioritize improvement opportunities. The data analysis process included the following:

- **Quantitative Analysis:** Quantitative data extracted from repair development records was analyzed using statistical methods to calculate average development times, variance, and distribution of development timelines for different repair types and components. This analysis identified trends, outliers, and areas where development processes could be streamlined to reduce time-to-market.

While direct stakeholder engagement through interviews and onsite observations was not feasible, stakeholder perspectives and input were still integrated into the study through alternative means. Stakeholder engagement activities included the following:

- **Expert Consultations:** Consultations were held with subject matter experts and key stakeholders involved in repair development processes remotely. These consultations provided insights into the challenges and opportunities associated with repair development and informed the study's findings and recommendations.
- **Review Meetings:** Review meetings were conducted with project managers, engineering teams, and other relevant stakeholders to discuss findings, validate data analysis results, and solicit feedback on proposed improvement strategies. These meetings ensured alignment between the study's objectives and stakeholder expectations.



Figure 1: Methodology Flowchart

Results

The analysis of repair development timelines revealed the following average development times for each task: Task A (Engine Module I) had an average development time of 62 days, Task B (Engine Module I) averaged 58 days, Task C (Engine Module II) had an average of 218.5 days, and Task D (Engine Module III) averaged 29.5 days. Variations in development times across repair types were observed, with Task C exhibiting significant variation compared to the other tasks as shown in Table 1 and Figure 2. Factors contributing to delays varied across tasks, with Task A experiencing ground rule updates and scheduling conflicts, while Task B faced delays due to workload-related issues. Task C and D did not encounter major challenges during the development process but is worth mentioning that these tasks belong to a different engine module.

Table 1
 Current Repair Times

Task	Engine Module	Repair Time Milestone 1 (days)	Repair Time Milestone 2 (days)	Total Repair Time
Task A	Module I	60	64	124
Task B	Module I	80	36	116
Task C	Module II	155	122	277
Task D	Module III	50	9	59




Figure 2: Average Development Times

The qualitative analysis identified several challenges and observations across the tasks. Task A and B, both from Engine Module 1, faced significant challenges related to ground rule updates and scheduling conflicts with validation engineers. Similarly, Task B experienced delays due to workload-related issues, particularly the postponement of an important review meeting. In contrast, Tasks C and D, from Other Engine Modules, did not encounter major challenges during their development processes. Common themes across tasks included workload management and the importance of effective communication and coordination to address challenges and improve project efficiency.




Figure 3: Contributing Factors

Conclusion

The findings of this study shed light on the intricacies of repair development processes within the aerospace aftermarket industry. The quantitative analysis revealed varying average development times across different tasks, with Task A and B, pertaining to Engine Module 1, demonstrating relatively shorter development times compared to Task C and D, associated with Other Engine Modules. Additionally, variations in development times and factors contributing to delays were observed, highlighting the importance of addressing specific challenges within each task to optimize efficiency.

Furthermore, the qualitative analysis identified common themes such as workload management and effective communication as critical factors influencing the success of repair development projects. Challenges encountered, particularly in Task A and B, underscored the need for proactive measures to mitigate scheduling conflicts and streamline ground rule updates. However, the absence of significant challenges in Task C and D suggests the potential for smoother development processes in certain engine modules.

Moving forward, it is imperative for stakeholders in the aerospace aftermarket industry to leverage these insights to refine repair development strategies, enhance resource allocation, and improve overall project management. By addressing key challenges and embracing best practices identified in this study, organizations can strive towards operational excellence, reduced turnaround times, and enhanced customer satisfaction in the repair and maintenance of aircraft components.

References

- [1] Brown, A., & Williams, E. (2020). Enhancing Efficiency in Aerospace Maintenance Facilities: A Comprehensive Approach. *International Journal of Aviation Management*, 15(2), 78-91.
- [2] Johnson, M. (2018). Improving Resource Utilization in Aerospace Maintenance Operations. *Journal of Aviation Technology and Engineering*, 10(1), 45-58.
- [3] Smith, J., et al. (2019). Application of Lean Six Sigma in Aerospace Maintenance Operations. *Journal of Aerospace Engineering*, 12(3), 204-215.